

# MSDS Material Safety Data Sheet

**Prepared For** 

KDD Corporation Co., LTD 1-2-7-1708 shigita,osaka shi joto ku,osaka fu,536-0015, Japan

**Prepared By** 

TMC Testing Services (Shenzhen) Co., Ltd. 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

Issued date Report Number: June 6, 2022

TMC220530133-C

Nina Wu

Written by:

Approved by:



# **MSDS** Material Safety Data Sheet

Section 1 - Product and Company Identification Product Identification: Zero nicotine e-cigarettes Manufacturer or Supplier Name: KDD Corporation Co., LTD Manufacturer or Supplier Address: 1-2-7-1708 shigita, osaka shi joto ku, osaka fu, 536-0015, Japan Applicant Name: ShenZhen HanMaHuaYan Technology Co., LTD Address: Room 503, Building C, Tongxin Industrial Park, Dongda Road, Shatou community, Changan Town, Dongguan City, Guangdong, China, 523505 Model No. : Zero nicotine e-cigarettes mint Trade Name: Dream Mist Flavor: mint Contact Person: TANAKA NAYU Tel.: 13733685018 E-mail: 176583230@qq.com

# Section 2 - Hazards Identification information

2.1 Classification of the substance or mixture Classification under CLP: NO Most important adverse effects: Toxic if swallowed. 2.2 Label elements Label elements: Hazard statements: No data available. Hazard pictograms: No data available. No data available. Signal words: Precautionary statements: P102: Keep out of reach of children.

2.3 Other hazards

Other hazards:No data available.

PBT: This product is not identified as a PBT/vPvB substance.

Testing&Certification Services

TMC Testing Services (Shenzhen) Co., Ltd. 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China t (86)755 86642861 f (86) 755-8664 2996 www.tmc-lab.com

P264: Wash hands thoroughly after handling.

recycling. Contact your local council for details.

P330: Rinse mouth.

P270: Do not eat, drink or smoke when using this product.

P301+310: IF SWALLOWED: Immediately call a doctor/emergency service.

P501: Dispose of contents/container to a household waste recycling centre as hazardous waste except for empty containers which can be disposed of by



# MSDS Material Safety Data Sheet

Section 3 – Composition/information on ingredients

3.1 Mixtures

Non-hazardous ingredients:

Substances	SAL	SAC	CAS No.	Percent	C .
Menthol	1 la	110	89-78-1	<0.5	~
peppermint	Sa	J.C.	68917-18-0	<0.3	6
Menthyl acetate	Ler.	160.	89-48-5	<0.1	<
Vanillin	.C	. C	121-33-5	<0.1	6
Propylene Glycol	Len	160,	56-81-5	45	<
WS-23	. (.	. C.	5015-67-4	4	C
glycerin	1 kg	1601	57-55-6	To 100	1

# Section 4 - First Aid Measures

4.1 Description of first aid measures

Ingestion:

Inhalation:

Eye contact:

Skin contact:

Rinse mouth. Do NOT induce vomiting. Get medical attention immediately. If breathing affected seriously: Remove person to fresh air and keep comfortable for breathing ensuring one's own safety whilst doing so. Call a doctor/emergency service if experiencing respiratory symptoms.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rising.

Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. If skin irritation or rash occurs, get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Ingestion:

Gastrointestinal signs and symptoms include mouth and throat burning followed by profuse salivation, nausea, vomiting, abdominal pain and occasionally diarrhoea. Convulsions may occur.

Dizziness, nausea or vomiting may occur. There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing. There may be irritation and redness at the site of contact. An itchy rash may occur at the site contact.

There may be irritation and redness.

TMC Testing Services (Shenzhen) Co., Ltd. Testing&Certification Services

Ist Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, ShiyanStreet, Baoan District, Shenzhen, Chinat (86) 755 86642861f (86) 755-8664 2996www.tmc-lab.com

Inhalation:

Skin contact:

Eye contact:



# MSDS Material Safety Data Sheet

Delayed/immediate effects: Delayed effects can be expected after long-term exposure of sensitisers.

In combustion emits toxic fumes.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Immediate/special treatment:

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

If vomiting has not occurred, remove stomach contents by gastric lavage. Single or multiple doses of activated charcoal may be used. Do NOT administer antacids; alkaline conditions improve the absorption of nicotine.

### Section 5 - Fire Fighting Measures

5.1 Extinguishing media

Extinguishing media:

Extinguish with carbon dioxide, dry chemical or foam. Alcohol resistant foams (ATC type) are preferred.

5.2 Special hazards arising from the substance or mixture

Exposure hazards:

5.3 Advice for fire-fighters

Advice for fire-fighters:

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

# Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions:

Do not attempt to take action without suitable protective clothing – see section 8. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2 Environmental precautions Environmental precautions:

Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3 Methods and material for containment and cleaning up

Clean-up procedures:

Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Refer to section 13 for suitable method of disposal.

6.4 Reference to other sections Reference to other sections:

Refer to section 8 and 13.

 TMC Testing Services (Shenzhen) Co., Ltd.
 1st Floor, Blo

 Testing & Certification Services
 Street, Baoan

 + (%) 755 %64
 + (%) 755 %64

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, ShiyanStreet, Baoan District, Shenzhen, Chinat (86) 755 86642861f (86) 755-8664 2996www.tmc-lab.com



# MSDS Material Safety Data Sheet

### Section 7 - Handling and Storage

 7.1 Precautions for safe handling

 Handling requirements:
 Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

7.2 Conditions for safe storage, including any incompatibilities
 Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from direct sunlight.

Suitable packaging:

Child-resistant packaging with tactile warning.

7.3 Specific end use(s) Specific end use(s):

For use in electronic cigarettes only.

### Section 8 – Exposure controls/Personal protection

8.1 Control parameters GLYCERIN

Workplace Exposure	Limits:	Respirable dust		
State	8-hour TWA	15 min. STEL	8-hour TWA	15 min. STEL
UK	(mist) $10 \text{ mg/m}^3$	<u> </u>	10. 410.	×16 × 16.

# PROPYLENE GLYCOL

Workplace Exposure	Limits:	Respirable dust	. 11.	VID. VID
State	8-hour TWA	15 min. STEL	8-hour TWA	15 min. STEL
THICUK C	(particles) 15 mg/m <sup>3</sup> (total particles & vapour) 474 mg/m <sup>3</sup>	THAC THA	- TANC	THUC - THUC

# **DNEL/PNEC** Values

DNEL / PNEC: No data available.

8.2 Exposure controls

Engineering measures:

Respiratory protection:

Hand protection:

Eye protection:

Skin protection:

Environmental:

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of workday. Ensure there is sufficient ventilation of the area.

Self-contained breathing apparatus must be available in case of emergency.

Protective gloves.

Safety glasses. Ensure eye bath is to hand.

Protective clothing.

Prevent from entering in public sewers or the immediate environment.

TMC Testing Services (Shenzhen) Co., Ltd. Testing&Certification Services

Ist Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China t (86) 755 86642861 f (86) 755-8664 2996 www.tmc-lab.com



# MSDS Material Safety Data Sheet

### Section 9 - Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

State:	Liquid	in Sa S	Jac J	
Colour:	Variable colour (from colourles	ss to yellow/orange)	10,	く
Odour:	Variable colour (from colourles	ss to yellow/orange)		
Evaporation rate:	No data available	Ma Ma		
Oxidising:	No data available	1. 1.	1.	~
Solubility in water:	Soluble		ć.	
Viscosity:	No data available	LAUT LAU	1 MA	~
Boiling point/range °C	No data available	Melting point/range °C:	No data available	
Flammability limits % lowe	r: Not applicable.	upper:	Not applicable.	
Flash point °C	No data available	Part. coeff. n-octanol/water:	No data available	
Autoflammability °C	Not applicable.	Vapour pressure:	No data available	
Relative density:	No data available	pH:	No data available	×

# Section 10 - Stability & Reactivity Data

10.1 Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2 Chemical stability

Chemical stability: Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4 Conditions to avoid

Conditions to avoid: Flames. Direct sunlight.

10.5 Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6 Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

# Section 11 - Toxicological Information

11.1 Information on toxicological effects Acute toxicity Oral Dermal Inhalation

Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met.

TMC Testing Services (Shenzhen) Co., Ltd. Testing&Certification Services

1 st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, ShiyanStreet, Baoan District, Shenzhen, Chinat (86) 755 86642861f (86) 755-8664 2996www.tmc-lab.com



Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

Based upon the available data, the classification criteria are not met.

occasionally diarrhoea. Convulsions may occur.

coughing or wheezing.

There may be irritation and redness.

Gastrointestinal signs and symptoms include mouth and throat burning

followed by profuse salivation, nausea, vomiting, abdominal pain and

Dizziness, nausea or vomiting may occur. There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause

There may be irritation and redness at the site of contact. An itchy rash

Delayed effects can be expected after long-term exposure of sensitisers.

may occur at the site contact. Absorption of nicotine through the skin may occur causing symptoms similar to those of inhalation/ingestion.

# MSDS Material Safety Data Sheet Based upon the available data, the classification criteria are not met.

Skin corrosion/irritation Eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT – single exposure STOT – repeated exposure Aspiration hazard Symptoms/routes of exposure Ingestion:

Inhalation:

#### Skin contact:

Eye contact: Delayed/immediate effects:

#### Section 12 - Ecological Information

12.1 Toxicity

Toxicity: No data available.

12.2 Persistence and degradability

Persistence and degradability: No data available.

12.3 Bioaccumulative potential:

Bioaccumulative: No data available.

12.4 Mobility in soil

Mobility:No data available.

12.5 Results of PBT and vPvB assessment

PBT identification:

This product is not identified as a PBT/vPvB substance.

12.6 Other adverse effects

Other adverse effects: No data available.

#### Section 13 - Disposal Considerations

13.1 Waste treatment methods Disposal operations: Av

Avoid release to the environment. Disposal in accordance with the local/national legislation. Individual bottles can be disposed of to commercial/domestic waste. Disposal of large quantities must be performed by qualified and authorised body. Not applicable.

Recovery operations:

 TMC Testing Services (Shenzhen) Co., Ltd.
 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan

 Testing & Certification Services
 Street, Baoan District, Shenzhen, China

 t (86) 755 86642861
 f (86) 755-8664 2996

 www.tmc-lab.com



# MSDS Material Safety Data Sheet

Disposal of packaging: NB:

Paper/board packaging may be reused or recycled. Bottles may be reused or recycled after cleaning. The user's attention is drawn to the possible existence of regional or national regulations

#### Section 14 - Transport Information

This product does not require a classification for transport according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

14.1 UN number

ADR/RID UN number: None assigned.

regarding disposal.

IMDG None assigned.

14.2 UN proper shipping name

ADR/RID UN proper shipping name: None assigned. 14.3 Transport hazard class(es)

ADR/RID Transport class: None assigned.

14.4 Packing group

ADR/RID Packing group: None assigned. 14.5 Environmental hazards

ADR/RID

Environmental hazards: Not classified. 14.6 Special precautions for user

Special precautions: See Section: 2

None assigned.

IMDG

None assigned.

IMDG None assigned.

IMDG Not classified. IATA/ICAO None assigned.

IATA/ICAO None assigned.

IATA/ICAO None assigned.

IATA/ICAO None assigned.

IATA/ICAO Not classified.

IATA/ICAO

Not applicable.

 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

 ADR/RID
 IMDG

 Transport in bulk:
 Not applicable.

# Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.2 Chemical safety assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

#### Section 16 -Other Information:

Other information

Other information:

This safety data sheet is prepared in accordance with Regulations (EC) No 1907/2006 and 1272/2008 as Amended and Adapted.

\* indicates text in the MSDS which has changed since the last revision.

 TMC Testing Services (Shenzhen) Co., Ltd.
 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan

 Street, Baoan District, Shenzhen, China
 1t (86) 755 86642861
 f (86) 755-8664 2996
 www.tmc-lab.com



No	No	A A A A A A A A A A A A A A A A A A A
List of a	bbreviations:	MSDS Material Safety Data Sheet ADR, International Carriage of Dangerous Goods by Road
		ATE, acute toxicity estimate
	112	CAS, Chemical Abstract Service
6	2	CLP, Classification, Labelling and Packaging
	MUL	DNEL, Derived No Effect Level
J.	Ja	EC50, effective concentration 50%
la,	161	IATA, International Air Transport Association
		ICAO, International Civil Aviation Organisation
-ne	- Mar	IMDG, International Maritime Dangerous Goods
		LC50, lethal concentration 50%
		NB, Nota bene
4N~	~ M	PBT, persistent, bioaccumulative, toxic
		PNEC, Predicted No Effect Concentration
3 min	SIL	RID, International Carriage of Dangerous Goods by Rail
Co.	Lb.	SDS, Safety Data Sheet
2		STEL, Short-term Exposure Limit
N'A	M	STOT, Specific target organ toxicity
	1.	TWA, Time Weighted Average
J.	30	UN, United Nations
la,	< 61	vPvB, very persistent, very bioaccumulative
		WEL, Workplace Exposure Limit
Phrases	used in s.2 ar	
1.	11	H226: Flammable liquid and vapour. H300: Fatal if swallowed.
. C.		H301: Toxic if swallowed.H310: Fatal in contact with skin.
4n -	~ M	H315: Causes skin irritation.H317: May cause an allergic skin reaction.
		H319: Causes serious eye irritation. H330: Fatal if inhaled.
JA:	Smith	H411: Toxic to aquatic life with long lasting effects.
Legal dis	sclaimer:	The above information is believed to be correct but does not purport to be all inclusive
		and shall be used only as a guide. This company shall not be held liable for any damage
NG NG	- MAC	resulting from handling or from contact with the above product.
	1.	de de de de de de de de
Jn.	Ja.	and and and and and and

 TMC Testing Services (Shenzhen) Co., Ltd.
 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan

 Street, Baoan District, Shenzhen, China
 1t (86) 755 86642861
 f (86) 755-86642996
 www.tmc-lab.com