

MSDS Material Safety Data Sheet

Prepared For

KDD Corporation Co., LTD 1-2-7-1708 shigita,osaka shi joto ku,osaka fu,536-0015, Japan

Prepared By

TMC Testing Services (Shenzhen) Co., Ltd. 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

Issued date Report Number: June 2, 2022

TMC220530129-C

Nina Wu <

Written by:

Approved by:



MSDS Material Safety Data Sheet

Section 1 - Product and Company Identification Product Identification: Zero nicotine e-cigarettes Manufacturer or Supplier Name: KDD Corporation Co., LTD Manufacturer or Supplier Address: 1-2-7-1708 shigita, osaka shi joto ku, osaka fu, 536-0015, Japan Applicant Name: ShenZhen HanMaHuaYan Technology Co., LTD Address: Room 503, Building C, Tongxin Industrial Park, Dongda Road, Shatou community, Changan Town, Dongguan City, Guangdong, China, 523505 Model No. : Zero nicotine e-cigarettes mango Trade Name: Dream Mist Flavor: mango Contact Person: TANAKA NAYU **Tel.:** 13733685018 E-mail: 176583230@qq.com

Section 2 - Hazards Identification information

2.1 Classification of the substance or mixture Classification under CLP: NO Most important adverse effects: Toxic if swallowed. 2.2 Label elements Label elements: Hazard statements: No data available. Hazard pictograms: No data available. Signal words: No data available. Precautionary statements: P102: Keep out of reach of children. P264: Wash hands thoroughly after handling.

2.3 Other hazards

Other hazards:No data available.

PBT: This product is not identified as a PBT/vPvB substance.

P330: Rinse mouth.

Testing&Certification Services

TMC Testing Services (Shenzhen) Co., Ltd. 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China t (86)755 86642861 f (86) 755-8664 2996 www.tmc-lab.com

recycling. Contact your local council for details.

P270: Do not eat, drink or smoke when using this product.

P301+310: IF SWALLOWED: Immediately call a doctor/emergency service.

P501: Dispose of contents/container to a household waste recycling centre as hazardous waste except for empty containers which can be disposed of by



Section 3 – Composition/information on ingredients

3.1 Mixtures Non-hazardous ingredients: CAS No. Substances Percent ethyl maltol 4940-11-8 < 0.2 5471-51-2 Raspberry Ketones < 0.1 furanone 3658-77-3 < 0.1141-78-6 < 0.2 Ethyl acetate < 0.5 Ethyl butyrate 105-54-4 706-14-9 < 0.1 gamma-decalactone 75-18-3 < 0.2 dimethyl sulfide 123-68-2 < 0.1 Allyl hexanoate folate acetate 3681-71-8 < 0.1 leaf alcohol 928-96-1 < 0.1Propylene Glycol 56-81-5 45 **WS-23** 5015-67-4 4 glycerin 57-55-6 To 100

MSDS Material Safety Data Sheet

Section 4 - First Aid Measures

4.1 Description of first aid measures

Ingestion:

Inhalation:

Rinse mouth. Do NOT induce vomiting. Get medical attention immediately.

breathing ensuring one's own safety whilst doing so. Call a doctor/emergency

If breathing affected seriously: Remove person to fresh air and keep comfortable for

Eye contact:

Skin contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rising.

service if experiencing respiratory symptoms.

Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. If skin irritation or rash occurs, get medical advice/attention.

 TMC Testing Services (Shenzhen) Co., Ltd.
 1st Floor, Blog

 Testing & Certification Services
 Street, Baoan

 t (86) 755 866

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, ShiyanStreet, Baoan District, Shenzhen, Chinat (86) 755 86642861f (86) 755-8664 2996www.tmc-lab.com



MSDS Material Safety Data Sheet

4.2 Most important symptoms and effects, both acute and delayed

Ingestion:

Inhalation:

Skin contact

Eye contact: Delayed/immediate effects: profuse salivation, nausea, vomiting, abdominal pain and occasionally diarrhoea. Convulsions may occur. Dizziness, nausea or vomiting may occur. There may be irritation of the throat with

Gastrointestinal signs and symptoms include mouth and throat burning followed by

a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

There may be irritation and redness at the site of contact. An itchy rash may occur at the site contact.

There may be irritation and redness. Delayed effects can be expected after long-term exposure of sensitisers

4.3 Indication of any immediate medical attention and special treatment needed

Immediate/special treatment:

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

If vomiting has not occurred, remove stomach contents by gastric lavage. Single or multiple doses of activated charcoal may be used. Do NOT administer antacids; alkaline conditions improve the absorption of nicotine.

Section 5 - Fire Fighting Measures

5.1 Extinguishing media Extinguishing media:

Extinguish with carbon dioxide, dry chemical or foam. Alcohol resistant foams (ATC type) are preferred.

5.2 Special hazards arising from the substance or mixture Exposure hazards: In combustion emits toxic fumes.

5.3 Advice for fire-fighters

Advice for fire-fighters:

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.

www.tmc-lab.com

TMC Testing Services (Shenzhen) Co., Ltd. 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China Testing&Certification Services t (86)755 86642861 f (86) 755-8664 2996



MSDS Material Safety Data Sheet

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions:

Turn leaking containers leak-side up to prevent the escape of liquid.

Do not attempt to take action without suitable protective clothing - see section 8

6.2 Environmental precautions Environmental precautions:

Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3 Methods and material for containment and cleaning up

Clean-up procedures:

Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Refer to section 13 for suitable method of disposal.

6.4 Reference to other sections Reference to other sections:

Refer to section 8 and 13.

Section 7 - Handling and Storage

7.1 Precautions for safe handling Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

 7.2 Conditions for safe storage, including any incompatibilities

 Storage conditions:
 Store in a cool, well ventilated area. Keep container tightly closed. Keep away from direct sunlight.

Suitable packaging:

7.3 Specific end use(s) Specific end use(s): Child-resistant packaging with tactile warning.

For use in electronic cigarettes only.

Section 8 – Exposure controls/Personal protection

8.1 Control parameters GLYCERIN

			osure Limits: Respirable dust		Workplace Exposure Limits:	
n. STEL	15 min. 5	8-hour TWA	15 min. STEL	8-hour TWA	State	
12	1/20	no - ano	· · · · · · · · · · · · · · · · · · ·	(mist) 10 mg/m^3	UK	
1	14x	the state	- Alt	(mist) 10 mg/m ³		

 TMC Testing Services (Shenzhen) Co., Ltd.
 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan

 Testing & Certification Services
 Street, Baoan District, Shenzhen, China

 t (86) 755 86642861
 f (86) 755-8664 2996

 www.tmc-lab.com



MSDS Material Safety Data Sheet

PROPYLENE GLYCOL

Workplace Exposure L	imits:	Respirable dust	IN THUR	THUR THUR
State	8-hour TWA	15 min. STEL	8-hour TWA	15 min. STEL
UK THIC	(particles) 15 mg/m ³ (total particles & vapour) 474 mg/m ³	TIME TO	NC TIMC	THAC - THAC

DNEL/PNEC Values

DNEL / PNEC: No data available.

8.2 Exposure controls

Engineering measures:

Respiratory protection: Hand protection: Eye protection: Skin protection: Environmental: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of workday. Ensure there is sufficient ventilation of the area. Self-contained breathing apparatus must be available in case of emergency. Protective gloves.

Safety glasses. Ensure eye bath is to hand.

Protective clothing.

Prevent from entering in public sewers or the immediate environment.

Section 9 - Physical & Chemical Properties

9.1 Information on basic pl	hysical and chemical properties	2 2	1 1	
State:	Liquid	MIC MIC	WILL WILL	
Colour:	Variable colour (from colourle	ess to yellow/orange)	1. 1.	
Odour:	Variable colour (from colourly	ess to yellow/orange)	S. C.	λ.
Evaporation rate:	No data available	Leve Leve	1 KN 1 K	11
Oxidising:	No data available	a a a		
Solubility in water:	Soluble	IC MC MC	an Aller	
Viscosity:	No data available	de de	Le L	
Boiling point/range $ {}^{\circ}\! {}^{\circ}\! {}^{\circ}\! {}^{\circ}$	No data available	Melting point/range °C:	No data available	. ĉ
Flammability limits % low	er: Not applicable.	upper:	Not applicable.	1.
Flash point $ \mathfrak{C} $	No data available	Part. coeff. n-octanol/water:	No data available	
Autoflammability °C	Not applicable.	Vapour pressure:	No data available	2
Relative density:	No data available	pH:	No data available	

TMC Testing Services (Shenzhen) Co., Ltd. Testing&Certification Services 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China t (86) 755 86642861 f (86) 755-8664 2996 www.tmc-lab.com



MSDS Material Safety Data Sheet

Section 10 - Stability & Reactivity Data

10.1 Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2 Chemical stability

Chemical stability: Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4 Conditions to avoid

Conditions to avoid: Flames. Direct sunlight.

10.5 Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6 Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11 - Toxicological Information

11.1 Information on toxicological effects Acute toxicity Oral Dermal Inhalation Skin corrosion/irritation Eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT – single exposure STOT - repeated exposure Aspiration hazard Symptoms/routes of exposure Ingestion:

Inhalation:

Skin contact:

Eye contact: Delayed/immediate effects: Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met.

Gastrointestinal signs and symptoms include mouth and throat burning followed by profuse salivation, nausea, vomiting, abdominal pain and occasionally diarrhoea. Convulsions may occur.

Dizziness, nausea or vomiting may occur. There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

There may be irritation and redness at the site of contact. An itchy rash may occur at the site contact. Absorption of nicotine through the skin may occur causing symptoms similar to those of inhalation/ingestion. There may be irritation and redness.

Delayed effects can be expected after long-term exposure of sensitisers.

TMC Testing Services (Shenzhen) Co., Ltd. Testing&Certification Services 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China t (86) 755 86642861 f (86) 755-8664 2996 www.tmc-lab.com



MSDS Material Safety Data Sheet Section 12 - Ecological Information 12.1 Toxicity Toxicity: No data available.' ;L 12.2 Persistence and degradability Persistence and degradability: No data available. 12.3 Bioaccumulative potential: Bioaccumulative: No data available. 12.4 Mobility in soil Mobility:No data available. 12.5 Results of PBT and vPvB assessment PBT identification: This product is not identified as a PBT/vPvB substance. 12.6 Other adverse effects Other adverse effects: No data available.

Section 13 - Disposal Considerations

13.1 Wa	aste treatment m	nethods	1.	1.	1.	1.	1.	
Disposa	l operations:	Avoid	release to the	e environment.	Disposal in ac	cordance with t	he local/nation	al
SIL	Same	legisla	tion. Individu	al bottles can	be disposed of	to commercial/	domestic waste	e. Disposal
$\langle L_1$.	Lb.	of larg	e quantities n	nust be perform	ned by qualifie	d and authorise	ed body.	10.
Recover	ry operations:	Not ap	plicable.		2			
Disposa	l of packaging:	Paper/ cleanin		ing may be reu	ised or recycle	d. Bottles may	be reused or re	cycled after
NB:	<pre>Lb.</pre>		ser's attention ing disposal.	is drawn to the	e possible exist	tence of regiona	al or national re	gulations
Section	14 - Transpor	t Informati	ion		. (.,	. C.		. C.

This product does not require a classification for transport according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

14.1 UN number

ADR/RID UN number: None assigned. 14.2 UN proper shipping name

Transport class: None assigned.

ADR/RID

ADR/RID

ADR/RID

None assigned.

IMDG None assigned.

None assigned.

None assigned.

IMDG

IMDG

IATA/ICAO None assigned.

> IATA/ICAO None assigned.

IATA/ICAO None assigned.

IMDG Packing group: None assigned. None assigned.

14.5 Environmental hazards

14.4 Packing group

UN proper shipping name:

14.3 Transport hazard class(es)

TMC Testing Services (Shenzhen) Co., Ltd. Testing&Certification Services

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China t (86)755 86642861 f (86) 755-8664 2996 www.tmc-lab.com

IATA/ICAO None assigned.





MSDS Material Safety Data Sheet ADR/RID IMDG IATA/ICAO Environmental hazards: Not classified. Not classified. 14.6 Special precautions for user Special precautions: See Section: 2 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code ADR/RID IMDG Transport in bulk:: Not applicable. Not applicable.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.2 Chemical safety assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16 -Other Information:

Other information

Other information:

This safety data sheet is prepared in accordance with Regulations (EC) No 1907/2006 and 1272/2008 as Amended and Adapted.

* indicates text in the MSDS which has changed since the last revision.

Not classified.

ΙΑΤΑ/ΙCΑΟ Not applicable.



TMC Testing Services	(Shenzhen) Co., Liu.	Report No 1MC220550129-C
eve Leve	MSDS Material Safety Data Sheet	LENC LENC LENC
List of abbreviations:	0 2	by Road
When I when	ATE, acute toxicity estimate CAS, Chemical Abstract Service	THAC THAC THAC
MAC THAC	CLP, Classification, Labelling and Packaging DNEL, Derived No Effect Level EC50, effective concentration 50%	THAC THAC THAC
INC THAC	IATA, International Air Transport Association ICAO, International Civil Aviation Organisation	THAC THAC THAC
ANC THUC	IMDG, International Maritime Dangerous Goods LC50, lethal concentration 50% NB, Nota bene	THAC THAC THAC
INC THAC	PBT, persistent, bioaccumulative, toxic PNEC, Predicted No Effect Concentration	THAC THAC THAC
INC THAC	RID, International Carriage of Dangerous Goods b SDS, Safety Data Sheet STEL, Short-term Exposure Limit	by Rail
INC THAC	STOT, Specific target organ toxicity TWA, Time Weighted Average	THAC THAC THAC
inc Thuc	UN, United Nations vPvB, very persistent, very bioaccumulative WEL, Workplace Exposure Limit	THAC THAC THAC
hrases used in s.2 ar	nd s.3: EUH208: Contains <name of="" sensitising="" substance<="" td=""><td>e>. May produce an allergic reaction.</td></name>	e>. May produce an allergic reaction.
Lave Leave		atal if swallowed.
ANC THAC	H315: Causes skin irritation. H317: M	atal in contact with skin. May cause an allergic skin reaction. atal if inhaled.
egal disclaimer:	The above information is believed to be correct bu	VAL VAL
	and shall be used only as a guide. This company sl	hall not be held liable for any damage
INC THAC	resulting from handling or from contact with the a	
anc anc	and and and and	ma Ma Ma

Testing&Certification ServicesStreet, Baoan District, Shenzhen, China
t (86) 755 86642861f (86) 755f (86) 755-86642861

TMC Testing Services (Shenzhen) Co., Ltd. 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan f (86) 755-8664 2996 www.tmc-lab.com