

MSDS Material Safety Data Sheet

Prepared For

KDD Corporation Co., LTD 1-2-7-1708 shigita,osaka shi joto ku,osaka fu,536-0015, Japan

Prepared By

TMC Testing Services (Shenzhen) Co., Ltd. 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

Issued date Report Number: June 6, 2022

TMC220530140-C

Nina Wu

Written by:

Approved by:



MSDS Material Safety Data Sheet

Section 1 - Product and Company Identification Product Identification: Zero nicotine e-cigarettes Manufacturer or Supplier Name: KDD Corporation Co., LTD Manufacturer or Supplier Address: 1-2-7-1708 shigita, osaka shi joto ku, osaka fu, 536-0015, Japan Applicant Name: ShenZhen HanMaHuaYan Technology Co., LTD Address: Room 503, Building C, Tongxin Industrial Park, Dongda Road, Shatou community, Changan Town, Dongguan City, Guangdong, China, 523505 Model No. : Zero nicotine e-cigarettes orange soda Trade Name: Dream Mist Flavor: orange soda Contact Person: TANAKA NAYU Tel.: 13733685018 E-mail: 176583230@qq.com

Section 2 - Hazards Identification information

2.1 Classification of the substance or mixture Classification under CLP: NO Most important adverse effects: Toxic if swallowed. 2.2 Label elements Label elements: Hazard statements: No data available. Hazard pictograms: No data available. No data available. Signal words: Precautionary statements: P102: Keep out of reach of children.

2.3 Other hazards

Other hazards:No data available.

PBT: This product is not identified as a PBT/vPvB substance.

Testing&Certification Services

TMC Testing Services (Shenzhen) Co., Ltd. 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China t (86)755 86642861 f (86) 755-8664 2996 www.tmc-lab.com

P264: Wash hands thoroughly after handling.

recycling. Contact your local council for details.

P330: Rinse mouth.

P270: Do not eat, drink or smoke when using this product.

P301+310: IF SWALLOWED: Immediately call a doctor/emergency service.

P501: Dispose of contents/container to a household waste recycling centre as hazardous waste except for empty containers which can be disposed of by



Section 3 – Composition/information on ingredients

~ MAL	THAT	THAC THAC	THUC	THUC	
ients:					
SAL	SNE	CAS No.	Sno	Percent	~1
1 la	X10	105-54-4	1 m	<0.2	1
JAC	N.C.	141-78-6	Jnc	<0.1	-4
X6.	160.	8008-57-9	Kler.	<0.2	1
20	.C	8008-31-9	S.C.	<0.2	
1600	100	5392-40-5	1 les	<0.1	1
JAC	JA.	5989-27-5	34	<0.2	
Les.	140.	56-81-5	Lla.	45	16
	.6	5015-67-4	. C	4	
161	100	57-55-6	141	To 100	1
		ients:	CAS No. 105-54-4 141-78-6 8008-57-9 8008-31-9 5392-40-5 5989-27-5 56-81-5 5015-67-4	CAS No. 105-54-4 141-78-6 8008-57-9 8008-31-9 5392-40-5 5989-27-5 56-81-5 5015-67-4	CAS No. Percent 105-54-4 <0.2

MSDS Material Safety Data Sheet

Section 4 - First Aid Measures

4.1 Description of first aid measures

Ingestion:

Inhalation:

Eye contact:

Skin contact:

Rinse mouth. Do NOT induce vomiting. Get medical attention immediately. If breathing affected seriously: Remove person to fresh air and keep comfortable for breathing ensuring one's own safety whilst doing so. Call a doctor/emergency service if experiencing respiratory symptoms.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rising.

Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. If skin irritation or rash occurs, get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Ingestion:

Gastrointestinal signs and symptoms include mouth and throat burning followed by profuse salivation, nausea, vomiting, abdominal pain and occasionally diarrhoea. Convulsions may occur.

Inhalation:

Dizziness, nausea or vomiting may occur. There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

 TMC Testing Services (Shenzhen) Co., Ltd.
 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan

 Street, Baoan District, Shenzhen, China
 1 (86) 755 86642861
 f (86) 755-8664 2996
 www.tmc-lab.com



Skin contact:

Eye contact:

Delayed/immediate effects:

Report No.: TMC220530140-C

There may be irritation and redness at the site of contact. An itchy rash may occur at

Delayed effects can be expected after long-term exposure of sensitisers.

4.3 Indication of any immediate	e medical attention and special treatment needed
Immediate/special treatment:	Immediate medical attention is required. Show this safety data sheet to the doctor in
mineerate/special treatment.	attendance.
which which which	If vomiting has not occurred, remove stomach contents by gastric lavage. Single or
1. 1. 1.	
	multiple doses of activated charcoal may be used. Do NOT administer antacids;
LING LING LIN	alkaline conditions improve the absorption of nicotine.
Section 5 - Fire Fighting Mea	sures me me me me me
5.1 Extinguishing media	
Extinguishing media:	Extinguish with carbon dioxide, dry chemical or foam. Alcohol resistant foams
Le Le Le	(ATC type) are preferred.
5.2 Special hazards arising from	n the substance or mixture
Exposure hazards:	In combustion emits toxic fumes.
5.3 Advice for fire-fighters	
Advice for fire-fighters:	Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers.
Section 6 - Accidental Release	e Measures
6.1 Personal precautions, protect	ctive equipment and emergency procedures
Personal precautions:	Do not attempt to take action without suitable protective clothing – see section 8.
	Turn leaking containers leak-side up to prevent the escape of liquid.
6.2 Environmental precautions	Car and and and an
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.
6.3 Methods and material for co	ontainment and cleaning up
Clean-up procedures:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container fo
THAC THAC THAT	disposal by an appropriate method. Refer to section 13 for suitable method o disposal.
TMC Testing Services (Shenzhe Testing&Certificatio	

MSDS Material Safety Data Sheet

There may be irritation and redness.

the site contact.

Page 4 of 9

f (86) 755-8664 2996

www.tmc-lab.com

t (86)755 86642861



MSDS Material Safety Data Sheet

6.4 Reference to other sections

Reference to other sections:

Refer to section 8 and 13.

Section 7 - Handling and Storage

7.1 Precautions for safe handling Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the

substance.

7.2 Conditions for safe storage, including any incompatibilities Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away

Suitable packaging:

from direct sunlight. Child-resistant packaging with tactile warning.

7.3 Specific end use(s) Specific end use(s):

For use in electronic cigarettes only.

Section 8 – Exposure controls/Personal protection

8.1 Control parameters **GLYCERIN**

Workplace Exposure Limits:

Workplace Exposure I	Limits:	Respirable dust	. <6.	Lb. Lb.
State	8-hour TWA	15 min. STEL	8-hour TWA	15 min. STEL
UK	(mist) 10 mg/m^3	((1 - 1

PROPYLENE GLYCOL

Workplace Exposure I	Limits:	Respirable dust	Ja Ja	in C in C
State	8-hour TWA	15 min. STEL	8-hour TWA	15 min. STEL
UK	(particles) 15 mg/m ³ (total particles & vapour) 474 mg/m ³	- The second	nc -nc	anc - anc

DNEL/PNEC Values

DNEL / PNEC: No data available.

8.2 Exposure controls

Engineering measures:

Respiratory protection: Hand protection:

> TMC Testing Services (Shenzhen) Co., Ltd. Testing&Certification Services

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of workday. Ensure there is sufficient ventilation of the area. Self-contained breathing apparatus must be available in case of emergency. Protective gloves.

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China t (86)755 86642861 f (86) 755-8664 2996 www.tmc-lab.com



MSDS Material Safety Data Sheet

Eye protection: Skin protection: Environmental: Safety glasses. Ensure eye bath is to hand.

Protective clothing.

Prevent from entering in public sewers or the immediate environment.

Section 9 - Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

State:	Liquid	J. J. J.	ć.
Colour:	Variable colour (from colou	urless to yellow/orange)	~ MA
Odour:	Variable colour (from colou	urless to yellow/orange)	
Evaporation rate:	No data available	one one one	SAC
Oxidising:	No data available	w. In. In.	LIN
Solubility in water:	Soluble	1 1 1	6
Viscosity:	No data available	Mr and and	- Mr
Boiling point/range °C	No data available	Melting point/range °C:	No data available
Flammability limits % lowe	er: Not applicable.	upper:	Not applicable.
Flash point $ \mathfrak{C} $	No data available	Part. coeff. n-octanol/water:	No data available
Autoflammability $ {}^{\circ}\!$	Not applicable.	Vapour pressure:	No data available
Relative density:	No data available	MPH:	No data available

Section 10 - Stability & Reactivity Data

10.1 Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2 Chemical stability

Chemical stability: Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4 Conditions to avoid

Conditions to avoid: Flames. Direct sunlight.

10.5 Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6 Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

TMC Testing Services (Shenzhen) Co., Ltd.1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, ShiyanTesting & Certification ServicesStreet, Baoan District, Shenzhen, China
t (86) 755 86642861www.tmc-lab.com



MSDS Material Safety Data Sheet

Section 11 - Toxicological Information

11.1 Information on toxicological effects Acute toxicity Oral Dermal Inhalation Skin corrosion/irritation Eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT – single exposure STOT - repeated exposure Aspiration hazard Symptoms/routes of exposure Ingestion:

Inhalation:

Skin contact:

Eye contact: Delayed/immediate effects Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met.

Gastrointestinal signs and symptoms include mouth and throat burning followed by profuse salivation, nausea, vomiting, abdominal pain and occasionally diarrhoea. Convulsions may occur.

Dizziness, nausea or vomiting may occur. There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

There may be irritation and redness at the site of contact. An itchy rash may occur at the site contact. Absorption of nicotine through the skin may occur causing symptoms similar to those of inhalation/ingestion. There may be irritation and redness.

Delayed effects can be expected after long-term exposure of sensitisers

Section 12 - Ecological Information

12.1 Toxicity Toxicity: No data available. 12.2 Persistence and degradability Persistence and degradability: No data available. 12.3 Bioaccumulative potential:

Bioaccumulative: No data available.

12.4 Mobility in soil

Mobility:No data available.

12.5 Results of PBT and vPvB assessment

PBT identification:

This product is not identified as a PBT/vPvB substance

12.6 Other adverse effects

Other adverse effects: No data available.

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan TMC Testing Services (Shenzhen) Co., Ltd. Street, Baoan District, Shenzhen, China Testing&Certification Services t (86)755 86642861 f (86) 755-8664 2996

www.tmc-lab.com



MSDS Material Safety Data Sheet

Section 13 - Disposal Considerations

13.1 Waste treatment methods

	Disposal operations:		Avoid release to the environment. Disposal in accordance with the local/national		
	and and		legislation. Individual bottles can be disposed of to commercial/domestic waste. Disposal		
	n du	1	of large quantities must be performed by qualified and authorised body.		
	Recovery operations:		Not applicable.		
	Disposal of packaging:		Paper/board packaging may be reused or recycled. Bottles may be reused or recycled after cleaning.		
	NB:	1	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.		
Section 14 - Transport Information					
	This product does not require a classification for transport according to the United Nations 'Recommendations on the				
	Transport of Dangerous	Go	ods'.		

14.1 UN number

ADR/RID UN number: None assigned.

14.2 UN proper shipping name

UN proper shipping name: ADR/RID None assigned. 14.3 Transport hazard class(es)

> ADR/RID Transport class: None assigned.

14.4 Packing group

ADR/RID Packing group: None assigned. 14.5 Environmental hazards

ADR/RID

Environmental hazards: Not classified. 14.6 Special precautions for user

Special precautions: See Section: 2

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code ADR/RID IMDG

ADR/RID Transport in bulk:: Not applicable. IMDG None assigned.

None assigned.

IMDG

IMDG

IMDG

None assigned.

None assigned.

IMDG Not classified.

Not applicable.

IATA/ICAO None assigned.

IATA/ICAO None assigned.

IATA/ICAO None assigned.

IATA/ICAO None assigned.

IATA/ICAO Not classified.

IATA/ICAO Not applicable.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.2 Chemical safety assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16 -Other Information:

Other information

 TMC Testing Services (Shenzhen) Co., Ltd.
 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan

 Testing&Certification Services
 Street, Baoan District, Shenzhen, China

 t (86) 755 86642861
 f (86) 755-8664 2996

 www.tmc-lab.com



LAN LAND	MSDS Material Safety Data Sheet
Other information:	This safety data sheet is prepared in accordance with Regulations (EC) No 1907/2006
NAL MAC	and 1272/2008 as Amended and Adapted.
	* indicates text in the MSDS which has changed since the last revision.
List of abbreviations:	ADR, International Carriage of Dangerous Goods by Road
Lev. Lev.	ATE, acute toxicity estimate
1 1	CAS, Chemical Abstract Service
WILL WILL	CLP, Classification, Labelling and Packaging
	DNEL, Derived No Effect Level
Jac Jac	EC50, effective concentration 50%
Lev. Lev.	IATA, International Air Transport Association
1 1	ICAO, International Civil Aviation Organisation
MAL MIL	IMDG, International Maritime Dangerous Goods
1. 1.	LC50, lethal concentration 50%
THAC THAC	NB, Nota bene
	PBT, persistent, bioaccumulative, toxic
	PNEC, Predicted No Effect Concentration
Why Why	RID, International Carriage of Dangerous Goods by Rail
	SDS, Safety Data Sheet
Jan Jan	STEL, Short-term Exposure Limit STOT, Specific target organ toxicity
Lu. Lu.	TWA, Time Weighted Average
1 1	UN, United Nations
2 MAC MAL	vPvB, very persistent, very bioaccumulative
	WEL, Workplace Exposure Limit
Phrases used in s.2 ar	
Lp. Lp.	H226: Flammable liquid and vapour. H300: Fatal if swallowed.
6 6	H301: Toxic if swallowed. H310: Fatal in contact with skin.
TWIL TWIL	H315: Causes skin irritation. H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation. H330: Fatal if inhaled.
JANG SAL	H411: Toxic to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any damage
THAT THAT	resulting from handling or from contact with the above product.

TMC Testing Services (Shenzhen) Co., Ltd.1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan
Street, Baoan District, Shenzhen, China
t (86) 755 86642861www.tmc-lab.com