

Prepared For	KDD Corporation Co.,	LTD				
INC TWC	1-2-7-1708 shigita,osal	ka shi joto ku,o	saka fu,536-00	15, Japan	TANC	<
Prepared By	TMC Testing Services 1st Floor, Block A1, Zo	- 101.	- 10.	ndustrial Park, 1	No. 2, Shihuan	Road,
Issued date	Shiyan Street, Baoan D June 6, 2022	District, Shenzh	en, China	THIC	THIC	<
Report Number:	TMC220530141-C	TANC	THIC	THIC	TANC	<
ALC LINC	THIC THIC	THIC	THIC	THIC	THIC	<
LANC LANC	TANC TANC	THIC	THIC	THIC	THIC	TH
ALC LINC	THIC THIC	THIC	THAC	THIC	THIC	<
ALC LINC	THIC THIC	THIC	THINC	THIC	THIC	<
	na Wu (1860)	THIC	THIC	THIC	THIC	<
Written by:	THIC THIC	Approv	ved by:	THIC	THIC	<
, ,						



### **Section 1 - Product and Company Identification**

Product Identification: Zero nicotine e-cigarettes

Manufacturer or Supplier Name: KDD Corporation Co., LTD

Manufacturer or Supplier Address: 1-2-7-1708 shigita,osaka shi joto ku,osaka fu,536-0015, Japan

Applicant Name: ShenZhen HanMaHuaYan Technology Co., LTD

Address: Room 503, Building C, Tongxin Industrial Park, Dongda Road, Shatou community, Changan

Town, Dongguan City, Guangdong, China, 523505

Model No.: Zero nicotine e-cigarettes yuzu soda

Trade Name: Dream Mist

Flavor: yuzu soda

Contact Person: TANAKA NAYU

**Tel.:** 13733685018

E-mail: 176583230@qq.com

#### Section 2 - Hazards Identification information

2.1 Classification of the substance or mixture

Classification under CLP: NO

Most important adverse effects: Toxic if swallowed.

2.2 Label elements

Label elements:

Hazard statements: No data available. Hazard pictograms: No data available. No data available. Signal words:

Precautionary statements: P102: Keep out of reach of children.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P301+310: IF SWALLOWED: Immediately call a doctor/emergency service.

P330: Rinse mouth.

P501: Dispose of contents/container to a household waste recycling centre as hazardous waste except for empty containers which can be disposed of by

f (86) 755-8664 2996

recycling. Contact your local council for details.

2.3 Other hazards

Other hazards: No data available.

PBT: This product is not identified as a PBT/vPvB substance.

Testing&Certification Services

TMC Testing Services (Shenzhen) Co., Ltd. 1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

www.tmc-lab.com

t (86) 755 86642861



#### Section 3 - Composition/information on ingredients

#### 3.1 Mixtures

Non-hazardous ingredients:

Substances	MC	3AC	CAS No.	Percent
Ethyl butyrate	Yla.	110	105-54-4	<0.2
Ethyl acetate	an C	,nC	141-78-6	<0.1
Decanal	110.	1.42	112-31-2	<0.1
sweet orange oil			8008-57-9	<0.2
Citral	160	100	5392-40-5	<0.1
Garden pomelo oil	inC	,,,,	8016-20-4	<0.2
d-Limonene	110.	142	5989-27-5	<0.3
Propylene Glycol		. (	56-81-5	45
WS-23	100	162	5015-67-4	4
glycerin			57-55-6	To 100

#### **Section 4 - First Aid Measures**

4.1 Description of first aid measures

Ingestion: Rinse mouth. Do NOT induce vomiting. Get medical attention immediately.

Inhalation: If breathing affected seriously: Remove person to fresh air and keep comfortable for

breathing ensuring one's own safety whilst doing so. Call a doctor/emergency

service if experiencing respiratory symptoms.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rising.

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Wash immediately with plenty of soap and water. If skin irritation or rash occurs, get

medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

Ingestion: Gastrointestinal signs and symptoms include mouth and throat burning followed by

profuse salivation, nausea, vomiting, abdominal pain and occasionally diarrhoea.

Convulsions may occur.

Inhalation: Dizziness, nausea or vomiting may occur. There may be irritation of the throat with

a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

f (86) 755-8664 2996

Skin contact: There may be irritation and redness at the site of contact. An itchy rash may occur at

the site contact.

TMC Testing Services (Shenzhen) Co., Ltd.
Testing&Certification Services

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

www.tmc-lab.com

t (86) 755 86642861

Report No.: TMC220530141-C

# MSDS Material Safety Data Sheet

Eye contact: There may be irritation and redness.

Delayed/immediate effects: Delayed effects can be expected after long-term exposure of sensitisers.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate/special treatment: Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

If vomiting has not occurred, remove stomach contents by gastric lavage. Single or multiple doses of activated charcoal may be used. Do NOT administer antacids;

alkaline conditions improve the absorption of nicotine.

### **Section 5 - Fire Fighting Measures**

5.1 Extinguishing media

Extinguishing media: Extinguish with carbon dioxide, dry chemical or foam. Alcohol resistant foams

(ATC type) are preferred.

5.2 Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes

5.3 Advice for fire-fighters

Advice for fire-fighters: Fire fighters should wear complete protective clothing including self-contained

breathing apparatus. Keep containers cool by spraying with water if exposed to

fire. Avoid run off to waterways and sewers.

#### Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing – see section 8.

Turn leaking containers leak-side up to prevent the escape of liquid.

6.2 Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3 Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Refer to section 13 for suitable method of

disposal.

6.4 Reference to other sections

Reference to other sections: Refer to section 8 and 13.

TMC Testing Services (Shenzhen) Co., Ltd.
Testing&Certification Services

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

www.tmc-lab.com

f (86) 755-8664 2996

Page 4 of 9

t (86) 755 86642861



### Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the

substance.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, well ventilated area. Keep container tightly closed. Keep away Storage conditions:

from direct sunlight.

Suitable packaging: Child-resistant packaging with tactile warning.

7.3 Specific end use(s)

Specific end use(s): For use in electronic cigarettes only.

#### Section 8 – Exposure controls/Personal protection

8.1 Control parameters

**GLYCERIN** 

Workplace Exposure Limits: Respirable dust

State	8-hour TWA	15 min. STEL	8-hour TWA	15 min. STEL
UK	(mist) 10 mg/m <sup>3</sup>	< /> < / >	414.	1/4, 1/4

#### PROPYLENE GLYCOL

Workplace Exposure Limits:

Respirable dust

State	8-hour TWA	15 min. STEL	8-hour TWA	15 min. STEL
THICUK	(particles) 15 mg/m <sup>3</sup> (total particles & vapour) 474 mg/m <sup>3</sup>	LANC LAN	C LANC	MC -THC

**DNEL/PNEC Values** 

DNEL / PNEC: No data available.

8.2 Exposure controls

Engineering measures: Handle in accordance with good industrial hygiene and safety practice. Avoid

contact with skin, eyes and clothing. Wash hands before breaks and at the end

of workday. Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

**Environmental:** Prevent from entering in public sewers or the immediate environment.

t (86) 755 86642861

TMC Testing Services (Shenzhen) Co., Ltd. Testing&Certification Services

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China f (86) 755-8664 2996

www.tmc-lab.com



### Section 9 - Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

State: Liquid

Colour: Variable colour (from colourless to yellow/orange)
Odour: Variable colour (from colourless to yellow/orange)

Evaporation rate: No data available
Oxidising: No data available

Solubility in water: Soluble

Viscosity: No data available

Boiling point/range °C No data available Melting point/range °C: No data available Flammability limits % lower: Not applicable. upper: Not applicable. Flash point ℃ No data available Part. coeff. n-octanol/water: No data available Not applicable. Autoflammability °C Vapour pressure: No data available No data available Relative density: No data available

### Section 10 - Stability & Reactivity Data

10.1 Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2 Chemical stability

Chemical stability: Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4 Conditions to avoid

Conditions to avoid: Flames. Direct sunlight.

10.5 Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6 Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### **Section 11 - Toxicological Information**

11.1 Information on toxicological effects

Acute toxicity

Oral Based upon the available data, the classification criteria are not met.

Dermal Based upon the available data, the classification criteria are not met.

Inhalation Based upon the available data, the classification criteria are not met.

TMC Testing Services (Shenzhen) Co., Ltd.
Testing&Certification Services

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

 $t\ (86\ )755\ 86642861 \qquad \qquad f\ (86)\ 755\text{--}8664\ 2996 \qquad \qquad www.tmc-lab.com$ 

Skin corrosion/irritation Eye damage/irritation

Respiratory or skin sensitisation

Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT – single exposure STOT – repeated exposure

Aspiration hazard

Symptoms/routes of exposure

Ingestion:

Inhalation:

Skin contact

Eye contact:

Delayed/immediate effects:

Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met. Based upon the available data, the classification criteria are not met.

Gastrointestinal signs and symptoms include mouth and throat burning

followed by profuse salivation, nausea, vomiting, abdominal pain and

occasionally diarrhoea. Convulsions may occur.

Dizziness, nausea or vomiting may occur. There may be irritation of the

throat with a feeling of tightness in the chest. Exposure may cause

coughing or wheezing.

There may be irritation and redness at the site of contact. An itchy rash

may occur at the site contact. Absorption of nicotine through the skin may occur causing symptoms similar to those of inhalation/ingestion.

There may be irritation and redness.

Delayed effects can be expected after long-term exposure of sensitisers.

#### Section 12 - Ecological Information

12.1 Toxicity

Toxicity: No data available.

12.2 Persistence and degradability

Persistence and degradability: No data available.

12.3 Bioaccumulative potential:

Bioaccumulative: No data available.

12.4 Mobility in soil

Mobility:No data available.

12.5 Results of PBT and vPvB assessment

PBT identification:

This product is not identified as a PBT/vPvB substance.

12.6 Other adverse effects

Other adverse effects: No data available

#### Section 13 - Disposal Considerations

13.1 Waste treatment methods

Disposal operations: Avoid release to the environment. Disposal in accordance with the local/national

t (86) 755 86642861

legislation. Individual bottles can be disposed of to commercial/domestic waste. Disposal

f (86) 755-8664 2996

of large quantities must be performed by qualified and authorised body.

**FMC Testing Services (Shenzhen) Co., Ltd.** 

Testing&Certification Services

www.tmc-lab.com

Page 7 of 9



Recovery operations: Not applicable.

Disposal of packaging: Paper/board packaging may be reused or recycled. Bottles may be reused or recycled after

cleaning.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

#### Section 14 - Transport Information

This product does not require a classification for transport according to the United Nations 'Recommendations on the Transport of Dangerous Goods'.

14.1 UN number

ADR/RID IMDG IATA/ICAO UN number: None assigned. None assigned. None assigned.

14.2 UN proper shipping name

ADR/RID IMDG IATA/ICAO

UN proper shipping name: None assigned. None assigned. None assigned.

14.3 Transport hazard class(es)

ADR/RID IMDG IATA/ICAO

Transport class: None assigned. None assigned. None assigned.

14.4 Packing group

ADR/RID IMDG IATA/ICAO

Packing group: None assigned. None assigned. None assigned.

14.5 Environmental hazards

ADR/RID IMDG IATA/ICAO

Environmental hazards: Not classified. Not classified. Not classified.

14.6 Special precautions for user Special precautions: See Section: 2

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

ADR/RID IMDG IATA/ICAO

Transport in bulk:: Not applicable. Not applicable. Not applicable.

#### **Section 15 - Regulatory Information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical safety assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

#### **Section 16 -Other Information:**

Other information

Other information: This safety data sheet is prepared in accordance with Regulations (EC) No 1907/2006

and 1272/2008 as Amended and Adapted.

t (86) 755 86642861

\* indicates text in the MSDS which has changed since the last revision.

TMC Testing Services (Shenzhen) Co., Ltd.
Testing&Certification Services

1st Floor, Block A1, Zone A, Xinshidai Gongrong Industrial Park, No. 2, Shihuan Road, Shiyan Street, Baoan District, Shenzhen, China

www.tmc-lab.com

f (86) 755-8664 2996



List of abbreviations: ADR, International Carriage of Dangerous Goods by Road

ATE, acute toxicity estimate

CAS, Chemical Abstract Service

CLP, Classification, Labelling and Packaging

DNEL, Derived No Effect Level

EC50, effective concentration 50%

IATA, International Air Transport Association

ICAO, International Civil Aviation Organisation

IMDG, International Maritime Dangerous Goods

LC50, lethal concentration 50%

NB, Nota bene

PBT, persistent, bioaccumulative, toxic

PNEC, Predicted No Effect Concentration

RID, International Carriage of Dangerous Goods by Rail

SDS, Safety Data Sheet

STEL, Short-term Exposure Limit

STOT, Specific target organ toxicity

TWA, Time Weighted Average

UN, United Nations

vPvB, very persistent, very bioaccumulative

WEL, Workplace Exposure Limit

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H226: Flammable liquid and vapour. H300: Fatal if swallowed.

H301: Toxic if swallowed. H310: Fatal in contact with skin.

H315: Causes skin irritation. H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation. H330: Fatal if inhaled.

H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any damage

resulting from handling or from contact with the above product.